




Installer Paperwork

Last Modified Date: 09/30/2020 09:27:48
PO#: 535865 / WOYCIK
Job Name: 20-07-015067-101 / WOYCIK
Job Address:
Quote # 6394357
Ship Date:
Sales Person: Bernie Lemos

Line #	Item Description	Quantity	Line Pricing		
0001 (1.00)	HR7710A HORIZONTAL ROLLER SERIES 7710A	Ordered: 1.00		<u>Sell Price</u>	<u>Ext Price</u>
Configuration: 53.X62.5,1/2" FL,W,13/16 LIG,CL,ARG,SC,NO GRID,XO,EQUAL,SS PACKAGE,1816K-INSTALLED,DBL					
		Certification Type: MIAMI Frame Type: .5FLANGE Vent Configuration: EQUAL Size Ref: TTT Height: 62 1/2 Rough Masonry Opening: 53 3/4 X 62 1/2 Egress Opening: 22 9/16 X 55 1/2 SQFT 8.6699 Glass Family: LI - Laminated Insulating Interlayer Type: PVB090 Glass: 13/16" LIG (1/8AN - 3/8 ARG -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: ARGON Grid Type: NONE - NO Grid Vent Latch: N Heavy Duty Meeting Rail: N Lock Quantity: 2.0000 CAR#: 20-0406.04 TC3: ordinance for PositiveDesignPressure: 65.0000 PANumber: FL-242 CondensationResistance: 17.0000 SolarHeatGainCoeff: 0.2100 VTCOG: 0.3900 NOA Selection: 20-0406.04 Unit Configuration: XO Size Selection: CUSTOM Width: 53.0000 Actual Size: 53 X 62 1/2 Wood Frame Opening: 52 1/4 X 61 3/4 Frame Color: W - White Glass Type: 1/8" - 5/16" Glass Makeup: LIA206AA5 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Privacy Glass: NONE - NONE Screen Type: 1816K - 1816 Charcoal Window Opening Control Device: N Stainless Steel Package: Y Boxing Options: N - None TC1: Meets the requirements TC4: marine turtle protection NegativeDesignPressure: 76.8000 EnergyStar: NONE UF: 0.5500 VT: 0.3000			
Location: 1		Notes:			
0002 (2.00)	PW7720A PICTURE WINDOW SERIES 7720A	Ordered: 1.00		<u>Sell Price</u>	<u>Ext Price</u>
Configuration: 53.X16.,1/2" FL,W,1-1/16 TLIG,CL,ARG,SC,OUTSIDE GLZ,NO GRID					

Quote # 6394357

Print Date 9/30/2020

Page 1 of 6

	Certification Type: MIAMI Frame Type: .5FLANGE Size Ref: TTT Height: 16.0000 Rough Masonry Opening: 53 3/4 X 16 Frame Color: W - White Tempered Location: UNIT Glass Makeup: LIT307AS7 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Privacy Glass: NONE - NONE Stainless Steel Package: N CAR#: 20-0401.10 TC3: ordinance for PositiveDesignPressure: 80.0000 PANumber: FL-243 CondensationResistance: 19.0000 SolarHeatGainCoeff: 0.2300 VTCOG: 0.3800	NOA Selection: 20-0401.10 Size Selection: CUSTOM Width: 53.0000 Actual Size: 53 X 16 Wood Frame Opening: 52 1/4 X 15 1/4 Glass Family: LI - Laminated Insulating Interlayer Type: PVB090 Glass: 1-1/16" LIG (3/16 TMP-7/16ARG-7/16 AN/HS Glass Color: CL - CLEAR Argon Gas: ARGON Grid Type: NONE - NO Grid Boxing Options: N - None TC1: Meets the requirements TC4: marine turtle protection NegativeDesignPressure: 80.0000 EnergyStar: 1.0000 UF: 0.4000 VT: 0.3400
Location: 2		Notes:
0003 (3.00)	MULL MULL BARS	Ordered: 1.00 Sell Price Ext Price
Configuration: ,52,,W,,5FLANGE,MULL/CLPS,1 X 2.750 X .375,2		
	Product Family Series: 7700A NOA Selection: 20-0406.03 Frame Type: .5FLANGE Mull Clip Qty: 2.0000 Size Selection: CUSTOM Frame Color: W - White	Certification Type: MIAMI Part Selection: MULL/CLPS - Mull & Clips set Mull Bar Type: 1X2.750X0.375 Mull Clip Type: STDCLP/STDCLP Length: 52.0000 Boxing Options: N - None
Location: 1-2		Notes:
0004 (4.00)	HR7710A HORIZONTAL ROLLER SERIES 7710A	Ordered: 1.00 Sell Price Ext Price
Configuration: 26.5X62.75,1/2" FL,W,13/16 LIG,CL,ARG,SC,NO GRID,XO,EQUAL,SS PACKAGE,1816K-INSTALLED,DBL		
	Certification Type: MIAMI Frame Type: .5FLANGE Vent Configuration: EQUAL Size Ref: TTT Height: 62 3/4 Rough Masonry Opening: 27 1/4 X 62 3/4 Egress Opening: 9 5/16 X 55 3/4 SQFT 3.5822 Glass Family: LI - Laminated Insulating Interlayer Type: PVB090 Glass: 13/16" LIG (1/8AN - 3/8 ARG -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: ARGON Grid Type: NONE - NO Grid Vent Latch: N Heavy Duty Meeting Rail: N Lock Quantity: 2.0000 CAR#: 20-0406.04 TC3: ordinance for PositiveDesignPressure: 65.0000 PANumber: FL-242 CondensationResistance: 17.0000 SolarHeatGainCoeff: 0.2100 VTCOG: 0.3900	NOA Selection: 20-0406.04 Unit Configuration: XO Size Selection: CUSTOM Width: 26 1/2 Actual Size: 26 1/2 X 62 3/4 Wood Frame Opening: 25 3/4 X 62 Frame Color: W - White Glass Type: 1/8" - 5/16" Glass Makeup: LIA206AA5 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Privacy Glass: NONE - NONE Screen Type: 1816K - 1816 Charcoal Window Opening Control Device: N Stainless Steel Package: Y Boxing Options: N - None TC1: Meets the requirements TC4: marine turtle protection NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 0.5500 VT: 0.3000
Location: 3		Notes:
0005 (5.00)	PW7720A PICTURE WINDOW SERIES 7720A	Ordered: 2.00 Sell Price Ext Price

Configuration: 18.5X61.,1/2" FL,W,1-1/16 TLIG,CL,ARG,SC,OUTSIDE GLZ,NO GRID					
	Certification Type: MIAMI Frame Type: .5FLANGE Size Ref: TTT Height: 61.0000 Rough Masonry Opening: 19 1/4 X 61 Frame Color: W - White Tempered Location: UNIT Glass Makeup: LIT307AS7 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Privacy Glass: NONE - NONE Stainless Steel Package: N CAR#: 20-0401.10 TC3: ordinance for PositiveDesignPressure: 80.0000 PANumber: FL-243 CondensationResistance: 19.0000 SolarHeatGainCoeff: 0.2300 VTCOG: 0.3800		NOA Selection: 20-0401.10 Size Selection: CUSTOM Width: 18.5000 Actual Size: 18 1/2 X 61 Wood Frame Opening: 17 3/4 X 60 1/4 Glass Family: LI - Laminated Insulating Interlayer Type: PVB090 Glass: 1-1/16" LIG (3/16 TMP-7/16ARG-7/16 AN/HS Glass Color: CL - CLEAR Argon Gas: ARGON Grid Type: NONE - NO Grid Boxing Options: N - None TC1: Meets the requirements TC4: marine turtle protection NegativeDesignPressure: 80.0000 EnergyStar: 1.0000 UF: 0.4000 VT: 0.3400		
	Location: 4, 6		Notes:		
0006 (6.00)	HR7710A HORIZONTAL ROLLER SERIES 7710A		Ordered: 1.00	Sell Price	Ext Price
Configuration: 52.5X61.,1/2" FL,W,13/16 LIG,CL,ARG,SC,NO GRID,XO,EQUAL,SS PACKAGE,1816K-INSTALLED,DBL					
	Certification Type: MIAMI Frame Type: .5FLANGE Vent Configuration: EQUAL Size Ref: TTT Height: 61.0000 Rough Masonry Opening: 53 1/4 X 61 Egress Opening: 22 5/16 X 54 SQFT 8.3418 Glass Family: LI - Laminated Insulating Interlayer Type: PVB090 Glass: 13/16" LIG (1/8AN - 3/8 ARG -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: ARGON Grid Type: NONE - NO Grid Vent Latch: N Heavy Duty Meeting Rail: N Lock Quantity: 2.0000 CAR#: 20-0406.04 TC3: ordinance for PositiveDesignPressure: 65.0000 PANumber: FL-242 CondensationResistance: 17.0000 SolarHeatGainCoeff: 0.2100 VTCOG: 0.3900		NOA Selection: 20-0406.04 Unit Configuration: XO Size Selection: CUSTOM Width: 52 1/2 Actual Size: 52 1/2 X 61 Wood Frame Opening: 51 3/4 X 60 1/4 Frame Color: W - White Glass Type: 1/8" - 5/16" Glass Makeup: LIA206AA5 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Privacy Glass: NONE - NONE Screen Type: 1816K - 1816 Charcoal Window Opening Control Device: N Stainless Steel Package: Y Boxing Options: N - None TC1: Meets the requirements TC4: marine turtle protection NegativeDesignPressure: 76.8000 EnergyStar: NONE UF: 0.5500 VT: 0.3000		
	Location: 5		Notes:		
0007 (7.00)	HR7710A HORIZONTAL ROLLER SERIES 7710A		Ordered: 1.00	Sell Price	Ext Price
Configuration: 52.75X50.,1/2" FL,W,13/16 LIG,CL,ARG,SC,NO GRID,XO,EQUAL,SS PACKAGE,1816K-INSTALLED,DBL					



Certification Type: MIAMI
 Frame Type: .5FLANGE
 Vent Configuration: EQUAL
 Size Ref: TTT
 Height: 50.0000
 Rough Masonry Opening: 53 1/2 X 50
 Egress Opening: 22 7/16 X 43 SQFT 6.6788
 Glass Family: LI - Laminated Insulating
 Interlayer Type: PVB090
 Glass: 13/16" LIG (1/8AN - 3/8 ARG -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: ARGON
 Grid Type: NONE - NO Grid
 Vent Latch: N
 Heavy Duty Meeting Rail: N
 Lock Quantity: 2.0000
 CAR#: 20-0406.04
 TC3: ordinance for
 PositiveDesignPressure: 65.0000
 PANumber: FL-242
 CondensationResistance: 17.0000
 SolarHeatGainCoeff: 0.2100
 VTCOG: 0.3900


NOA Selection: 20-0406.04
 Unit Configuration: XO
 Size Selection: CUSTOM
 Width: 52 3/4
 Actual Size: 52 3/4 X 50
 Wood Frame Opening: 52 X 49 1/4
 Frame Color: W - White
 Glass Type: 1/8" - 5/16"
 Glass Makeup: LIA206AA5
 Does unit need to meet Turtle Code: NO
 Low E: SOLAR CONTROLLOWE2
 Privacy Glass: NONE - NONE
 Screen Type: 1816K - 1816 Charcoal
 Window Opening Control Device: N
 Stainless Steel Package: Y
 Boxing Options: N - None
 TC1: Meets the requirements
 TC4: marine turtle protection
 NegativeDesignPressure: 80.0000
 EnergyStar: NONE
 UF: 0.5500
 VT: 0.3000

Location: 7

Notes:

0008 (8.00)	HR7710A HORIZONTAL ROLLER SERIES 7710A	Ordered: 1.00		<u>Sell Price</u>	<u>Ext Price</u>
----------------	--	------------------	--	-------------------	------------------

Configuration: 73.5X62.25,1/2" FL,W,13/16 LIG,CL,ARG,SC,NO GRID,XO,EQUAL,SS PACKAGE,1816K-INSTALLED,DBL



Certification Type: MIAMI
 Frame Type: .5FLANGE
 Vent Configuration: EQUAL
 Size Ref: TTT
 Height: 62 1/4
 Rough Masonry Opening: 74 1/4 X 62 1/4
 Egress Opening: 32 13/16 X 55 1/4 SQFT 12.5613
 Glass Family: LI - Laminated Insulating
 Interlayer Type: PVB090
 Glass: 13/16" LIG (1/8AN - 3/8 ARG -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: ARGON
 Grid Type: NONE - NO Grid
 Vent Latch: N
 Heavy Duty Meeting Rail: N
 Lock Quantity: 2.0000
 CAR#: 20-0406.04
 TC3: ordinance for
 PositiveDesignPressure: 64.9000
 PANumber: FL-242
 CondensationResistance: 17.0000
 SolarHeatGainCoeff: 0.2100
 VTCOG: 0.3900


NOA Selection: 20-0406.04
 Unit Configuration: XO
 Size Selection: CUSTOM
 Width: 73 1/2
 Actual Size: 73 1/2 X 62 1/4
 Wood Frame Opening: 72 3/4 X 61 1/2
 Frame Color: W - White
 Glass Type: 1/8" - 5/16"
 Glass Makeup: LIA206AA5
 Does unit need to meet Turtle Code: NO
 Low E: SOLAR CONTROLLOWE2
 Privacy Glass: NONE - NONE
 Screen Type: 1816K - 1816 Charcoal
 Window Opening Control Device: N
 Stainless Steel Package: Y
 Boxing Options: N - None
 TC1: Meets the requirements
 TC4: marine turtle protection
 NegativeDesignPressure: 64.9000
 EnergyStar: NONE
 UF: 0.5500
 VT: 0.3000

Location: 8

Notes:

0009 (9.00)	PW7720A PICTURE WINDOW SERIES 7720A	Ordered: 1.00		<u>Sell Price</u>	<u>Ext Price</u>
----------------	-------------------------------------	------------------	--	-------------------	------------------

Configuration: 73.5X16.,1/2" FL,W,1-1/16 TLIG,CL,ARG,SC,OUTSIDE GLZ,NO GRID

	Certification Type: MIAMI Frame Type: .5FLANGE Size Ref: TTT Height: 16.0000 Rough Masonry Opening: 74 1/4 X 16 Frame Color: W - White Tempered Location: UNIT Glass Makeup: LIT307AS7 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Privacy Glass: NONE - NONE Stainless Steel Package: N CAR#: 20-0401.10 TC3: ordinance for PositiveDesignPressure: 80.0000 PANumber: FL-243 CondensationResistance: 19.0000 SolarHeatGainCoeff: 0.2300 VTCOG: 0.3800	NOA Selection: 20-0401.10 Size Selection: CUSTOM Width: 73.5000 Actual Size: 73 1/2 X 16 Wood Frame Opening: 72 3/4 X 15 1/4 Glass Family: LI - Laminated Insulating Interlayer Type: PVB090 Glass: 1-1/16" LIG (3/16 TMP-7/16ARG-7/16 AN/HS Glass Color: CL - CLEAR Argon Gas: ARGON Grid Type: NONE - NO Grid Boxing Options: N - None TC1: Meets the requirements TC4: marine turtle protection NegativeDesignPressure: 80.0000 EnergyStar: 1.0000 UF: 0.4000 VT: 0.3400		
Location: 9		Notes:		
0010 (10.00)	MULL MULL BARS	Ordered: 1.00	Sell Price	Ext Price
Configuration: ,72.5,W,.5FLANGE,MULL/CLPS,1 X 2.750 X .375,2				
	Product Family Series: 7700A NOA Selection: 20-0406.03 Frame Type: .5FLANGE Mull Clip Qty: 2.0000 Size Selection: CUSTOM Frame Color: W - White		Certification Type: MIAMI Part Selection: MULL/CLPS - Mull & Clips set Mull Bar Type: 1X2.750X0.375 Mull Clip Type: STDCLP/STDCLP Length: 72.5000 Boxing Options: N - None	
Location: 8-9		Notes:		
0011 (11.00)	HR7710A HORIZONTAL ROLLER SERIES 7710A	Ordered: 1.00	Sell Price	Ext Price
Configuration: 52.5X61.75,1/2" FL,W,13/16 LIG,CL,ARG,SC,NO GRID,XO,EQUAL,SS PACKAGE,1816K-INSTALLED,DBL				
	Certification Type: MIAMI Frame Type: .5FLANGE Vent Configuration: EQUAL Size Ref: TTT Height: 61 3/4 Rough Masonry Opening: 53 1/4 X 61 3/4 Egress Opening: 22 5/16 X 54 3/4 SQFT 8.4577 Glass Family: LI - Laminated Insulating Interlayer Type: PVB090 Glass: 13/16" LIG (1/8AN - 3/8 ARG -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: ARGON Grid Type: NONE - NO Grid Vent Latch: N Heavy Duty Meeting Rail: N Lock Quantity: 2.0000 CAR#: 20-0406.04 TC3: ordinance for PositiveDesignPressure: 65.0000 PANumber: FL-242 CondensationResistance: 17.0000 SolarHeatGainCoeff: 0.2100 VTCOG: 0.3900		NOA Selection: 20-0406.04 Unit Configuration: XO Size Selection: CUSTOM Width: 52 1/2 Actual Size: 52 1/2 X 61 3/4 Wood Frame Opening: 51 3/4 X 61 Frame Color: W - White Glass Type: 1/8" - 5/16" Glass Makeup: LIA206AA5 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Privacy Glass: NONE - NONE Screen Type: 1816K - 1816 Charcoal Window Opening Control Device: N Stainless Steel Package: Y Boxing Options: N - None TC1: Meets the requirements TC4: marine turtle protection NegativeDesignPressure: 76.8000 EnergyStar: NONE UF: 0.5500 VT: 0.3000	
Location: 10		Notes:		

Products Ordered Total Quantity

Quote # 6394357

Print Date 9/30/2020

Page 5 of 6

HR7710A	6
PW7720A	4
MULL	2

ALL SALES FINAL

All products received in good condition by _____ Date: _____