



Installer Paperwork

Last Modified Date: 09/20/2019 13:30:38

PO#:

Job Name:1909098W / DAQUANNO



Job Address:

Quote # 5875080

Ship Date:

Sales Person:Pat Ryan




Line #	Item Description	Quantity	Line Pricing		
0001 (1.00)	HR7710A HORIZONTAL ROLLER SERIES 7710A	Ordered: 1.00		<u>Sell Price</u>	<u>Ext Price</u>
Configuration: 53.X50.25,1/2" FL,W,G/G 5/16,CL,SC,NO GRID,XO,EQUAL,SS PACKAGE,1816K-INSTALLED,DBL,WOCD					
		Certification Type: MIAMI Frame Type: .5FLANGE Vent Configuration: EQUAL Size Ref: TTT Height: 50 1/4 Rough Masonry Opening: 53 3/4 X 50 1/4 Egress Opening: 22 9/16 X 43 1/4 SQFT 6.7552 Glass Family: LM - Laminated Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Screen Type: 1816K - 1816 Charcoal Window Opening Control Device: Y Stainless Steel Package: Y Boxing Options: N - None PositiveDesignPressure: 65.0000 PANumber: FL-242 NOA Selection: 18-0627.01 Unit Configuration: XO Size Selection: CUSTOM Width: 53.0000 Actual Size: 53 X 50 1/4 Wood Frame Opening: 52 1/4 X 49 1/2 Frame Color: W - White Glass Type: 5/16" Glass Makeup: LMA209A2 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Grid Type: NONE - NO Grid Vent Latch: N Heavy Duty Meeting Rail: N Lock Quantity: 2.0000 CAR#: 18-0627.01 NegativeDesignPressure: 65.0000			
Location: 1		Notes:			
0002 (2.00)	HR7710A HORIZONTAL ROLLER SERIES 7710A	Ordered: 2.00		<u>Sell Price</u>	<u>Ext Price</u>
Configuration: 52.5X50.25,1/2" FL,W,G/G 5/16,CL,SC,NO GRID,XO,EQUAL,SS PACKAGE,1816K-INSTALLED,DBL,WOCD					
		Certification Type: MIAMI Frame Type: .5FLANGE Vent Configuration: EQUAL Size Ref: TTT Height: 50 1/4 Rough Masonry Opening: 53 1/4 X 50 1/4 Egress Opening: 22 5/16 X 43 1/4 SQFT 6.6801 Glass Family: LM - Laminated Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Screen Type: 1816K - 1816 Charcoal Window Opening Control Device: Y Stainless Steel Package: Y Boxing Options: N - None PositiveDesignPressure: 65.0000 PANumber: FL-242 NOA Selection: 18-0627.01 Unit Configuration: XO Size Selection: CUSTOM Width: 52 1/2 Actual Size: 52 1/2 X 50 1/4 Wood Frame Opening: 51 3/4 X 49 1/2 Frame Color: W - White Glass Type: 5/16" Glass Makeup: LMA209A2 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Grid Type: NONE - NO Grid Vent Latch: N Heavy Duty Meeting Rail: N Lock Quantity: 2.0000 CAR#: 18-0627.01 NegativeDesignPressure: 65.0000			
Location: 2,10		Notes:			
0003	PW7720A PICTURE WINDOW SERIES 7720A	Ordered:		<u>Sell Price</u>	<u>Ext Price</u>

Quote # 5875080

Print Date 9/20/2019

Page 1 of 5

(4.00)		2.00		
Configuration: 18.75X16.,1/2" FL,W,A/H 7/16,CL,SC,OUTSIDE GLZ,NO GRID				
	Certification Type: MIAMI Frame Type: .5FLANGE Size Ref: TTT Height: 16.0000 Rough Masonry Opening: 19 1/2 X 16 Frame Color: W - White Interlayer Type: PVB090 Glass: 7/16" LAMI (3/16 AN - .090 PVB- 3/16 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Stainless Steel Package: N CAR#: 18-0430.05 NegativeDesignPressure: 80.0000	NOA Selection: 18-0430.05 Size Selection: CUSTOM Width: 18.7500 Actual Size: 18 3/4 X 16 Wood Frame Opening: 18 X 15 1/4 Glass Family: LM - Laminated Glass Makeup: LMA309S3 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Grid Type: NONE - NO Grid Boxing Options: N - None PositiveDesignPressure: 80.0000 PANumber: FL-243		
Location: 3,5		Notes:		
0004 (5.00)	PW7720A PICTURE WINDOW SERIES 7720A	Ordered: 4.00	Sell Price	Ext Price
Configuration: 18.75X50.25,1/2" FL,W,A/H 7/16,CL,SC,OUTSIDE GLZ,NO GRID				
	Certification Type: MIAMI Frame Type: .5FLANGE Size Ref: TTT Height: 50.2500 Rough Masonry Opening: 19 1/2 X 50 1/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 7/16" LAMI (3/16 AN - .090 PVB- 3/16 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Stainless Steel Package: N CAR#: 18-0430.05 NegativeDesignPressure: 80.0000	NOA Selection: 18-0430.05 Size Selection: CUSTOM Width: 18.7500 Actual Size: 18 3/4 X 50 1/4 Wood Frame Opening: 18 X 49 1/2 Glass Family: LM - Laminated Glass Makeup: LMA309S3 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Grid Type: NONE - NO Grid Boxing Options: N - None PositiveDesignPressure: 80.0000 PANumber: FL-243		
Location: 3.1,5.1,6,8		Notes:		
0005 (6.00)	PW7720A PICTURE WINDOW SERIES 7720A	Ordered: 1.00	Sell Price	Ext Price
Configuration: 36.75X16.,1/2" FL,W,A/H 7/16,CL,SC,OUTSIDE GLZ,NO GRID				
	Certification Type: MIAMI Frame Type: .5FLANGE Size Ref: TTT Height: 16.0000 Rough Masonry Opening: 37 1/2 X 16 Frame Color: W - White Interlayer Type: PVB090 Glass: 7/16" LAMI (3/16 AN - .090 PVB- 3/16 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Stainless Steel Package: N CAR#: 18-0430.05 NegativeDesignPressure: 80.0000	NOA Selection: 18-0430.05 Size Selection: CUSTOM Width: 36.7500 Actual Size: 36 3/4 X 16 Wood Frame Opening: 36 X 15 1/4 Glass Family: LM - Laminated Glass Makeup: LMA309S3 Does unit need to meet Turtle Code: NO Low E: SOLAR CONTROLLOWE2 Grid Type: NONE - NO Grid Boxing Options: N - None PositiveDesignPressure: 80.0000 PANumber: FL-243		
Location: 4		Notes:		
0006 (7.00)	HR7710A HORIZONTAL ROLLER SERIES 7710A	Ordered: 3.00	Sell Price	Ext Price
Configuration: 36.75X50.25,1/2" FL,W,G/G 5/16,CL,SC,NO GRID,XO,EQUAL,SS PACKAGE,1816K-INSTALLED,DBL,WOCD				



Certification Type: MIAMI
Frame Type: .5FLANGE
Vent Configuration: EQUAL
Size Ref: TTT
Height: 50 1/4
Rough Masonry Opening: 37 1/2 X 50 1/4
Egress Opening: 14 7/16 X 43 1/4 SQFT 4.3166
Glass Family: LM - Laminated
Interlayer Type: PVB090
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: CL - CLEAR
Privacy Glass: NONE - NONE
Screen Type: 1816K - 1816 Charcoal
Window Opening Control Device: Y
Stainless Steel Package: Y
Boxing Options: N - None
PositiveDesignPressure: 65.0000
PANumber: FL-242

NOA Selection: 18-0627.01
Unit Configuration: XO
Size Selection: CUSTOM
Width: 36 3/4
Actual Size: 36 3/4 X 50 1/4
Wood Frame Opening: 36 X 49 1/2
Frame Color: W - White
Glass Type: 5/16"
Glass Makeup: LMA209A2
Does unit need to meet Turtle Code: NO
Low E: SOLAR CONTROLLOWE2
Grid Type: NONE - NO Grid
Vent Latch: N
Heavy Duty Meeting Rail: N
Lock Quantity: 2.0000
CAR#: 18-0627.01
NegativeDesignPressure: 65.0000

Location: 4.1,7,9

Notes:

0007 (8.00)	SH7700A SINGLE HUNG SERIES 7700A	Ordered: 1.00	Sell Price	Ext Price
Configuration: 18.75X50.25X.,STD,1/2" FL,W,EQUAL,G/G 5/16,CL,SC,NO GRID,SS PACKAGE,SGL,SWEEP,WOCD,1816K-INSTALLED,LSILL				




Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 50 1/4
Rough Masonry: 19 1/2 X 50 1/4
Egress Opening: 13 11/16 X 18 15/16 (1.7884 SQFT)
Glass Family: LM - Laminated
Glass Makeup: LMA209A2
Does unit need to meet Turtle Code: NO
Low E: SOLAR CONTROLLOWE2
Grid Type: NONE - NO Grid
Vent Latch: N
Hi-Rise Sill: N
Stainless Steel Package: Y
Lock Quantity: 1.0000
Vent Ht: 25.5890
PositiveDesignPressure: 65.0000
PANumber: FL-239

NOA Selection: 18-0430.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 18 3/4
Actual Size: 18 3/4 X 50 1/4
Wood Frame Opening: 18 X 49 1/2
Frame Color: W - White
Interlayer Type: PVB090
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: CL - CLEAR
Privacy Glass: NONE - NONE
Screen Type: 1816K - 1816 Charcoal
WOCD: Y
Lmtd Sash Stop: N
Lock Type: SWEEP - Sweep Latch
Boxing Options: N - None
CAR#: 18-0430.06
NegativeDesignPressure: 80.0000

Location: 11

Notes:

0008 (9.00)	SH7700A SINGLE HUNG SERIES 7700A	Ordered: 1.00	Sell Price	Ext Price
Configuration: 35.75X24.75X.,STD,1/2" FL,W,EQUAL,G/G 5/16,CL,SC,OB,NO GRID,SS PACKAGE,SGL,SWEEP,1816K-INSTALLED,LSILL				



Certification Type: MIAMI
 Frame Type: .5FLANGE
 Window Style: STD
 Size Ref: TTT
 Height: 24 3/4
 Rough Masonry: 36 1/2 X 24 3/4
 Egress Opening: 30 11/16 X 6 3/16 (1.307 SQFT)
 Glass Family: LM - Laminated
 Glass Makeup: LMA209A2
 Does unit need to meet Turtle Code: NO
 Low E: SOLAR CONTROLLWE2
 Privacy Glass Location: UNIT
 Screen Type: 1816K - 1816 Charcoal
 WOCD: N
 Lmtd Sash Stop: N
 Lock Type: SWEEP - Sweep Latch
 Boxing Options: N - None
 CAR#: 18-0430.06
 NegativeDesignPressure: 80.0000

NOA Selection: 18-0430.06
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 35 3/4
 Actual Size: 35 3/4 X 24 3/4
 Wood Frame Opening: 35 X 24
 Frame Color: W - White
 Interlayer Type: PVB090
 Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
 Glass Color: CL - CLEAR
 Privacy Glass: OB - OBSCURE
 Grid Type: NONE - NO Grid
 Vent Latch: N
 Hi-Rise Sill: N
 Stainless Steel Package: Y
 Lock Quantity: 1.0000
 Vent Ht: 12.8390
 PositiveDesignPressure: 65.0000
 PANumber: FL-239



Location: 12
 Notes:

0009 (10.00)	MULL MULL BARS	Ordered: 2.00	<u>Sell Price</u>	<u>Ext Price</u>
Configuration: ,17.75,W,.5FLANGE,MULL/CLPS,1 X 2.750 X .375,2				

Product Family Series: 7700A
 NOA Selection: 17-0630.01
 Frame Type: .5FLANGE
 Mull Clip Qty: 2.0000
 Size Selection: CUSTOM
 Frame Color: W - White

Certification Type: MIAMI
 Part Selection: MULL/CLPS - Mull & Clips set
 Mull Bar Type: 1X2.750X0.375
 Mull Clip Type: STDCLP/STDCLP
 Length: 17.7500
 Boxing Options: N - None

Location: 3 - 3.1, 5 - 5.1
 Notes:

0010 (11.00)	MULL MULL BARS	Ordered: 1.00	<u>Sell Price</u>	<u>Ext Price</u>
Configuration: ,35.75,W,.5FLANGE,MULL/CLPS,1 X 2.750 X .375,2				

Product Family Series: 7700A
 NOA Selection: 17-0630.01
 Frame Type: .5FLANGE
 Mull Clip Qty: 2.0000
 Size Selection: CUSTOM
 Frame Color: W - White

Certification Type: MIAMI
 Part Selection: MULL/CLPS - Mull & Clips set
 Mull Bar Type: 1X2.750X0.375
 Mull Clip Type: STDCLP/STDCLP
 Length: 35.7500
 Boxing Options: N - None

Location: 4 - 4.1
 Notes:

<u>Products Ordered</u>	<u>Total Quantity</u>
HR7710A	6
PW7720A	7
SH7700A	2
MULL	3

ALL SALES FINAL

All products received in good condition by _____ Date: _____

